

Modular Euro-American socket 16A 127/250 V~ screw terminal IP44 white matte Simon 360

REF. 36002439-190



BASIC INFORMATION

DESCRIPTION

Euro-american modular socket base 16A 127/250 V~ with screw terminal connection system with IP44 protection in white finish of the Simon 360 series. In matte finish. The matte finish prevents light reflections and reduces maintenance by minimizing stains and fingerprints. Urea is the main material and offers high resistance and durability, ensuring a prolonged lifespan.

FINISH

Matt white

MATERIAL

Steel,Thermostable

ETIM CLASS

EC000125

REMARKS

The socket is supplied in its finished version, so there is no need to purchase another interior mechanism.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

OPERATING TEMPERATURE RANGE (°C)

0...+40

CABLE SECTION ADMITTED (MM)

1.5...2.5

IP RATING

IP44

POWER SUPPLY (V~)

127/250 V~

CONNECTOR TYPE

Euro-American

LINKABLE

Yes

RECESS DIMENSION (MM)

40

FORMAT

Euro-American

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25...+75

FREQUENCY

50 - 60 Hz

VOLTAGE (V~)

127/250 V~

INDICATOR FUNCTION

No

MONOBLOCK

No

NUMBER OF WIRES

3

NOMINAL VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

10

TYPE OF FASTENING

Screw

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REMOVAL OF COVER

Only with tool

INSTALLATION DIRECTION

Horizontal

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053463499

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053453391

PACKAGING VOLUME

768000

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

10

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

80

PACKAGING GROSS WEIGHT

0.28

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

80

PACKAGING NET WEIGHT

0

UNITARY PACKAGING GROSS
WEIGHT

0

PACKAGING LENGTH

120

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0



