

2 SOCKET FRONT-ENTRY ADAPTER WITH SWITCH SIMON

REF. CL910401



BASIC INFORMATION

DESCRIPTION

SIMON front-entry adapter with 2 x 16A Schuko-type sockets and an integrated switch to turn all connected devices on and off from a single point. Rated current 16 A, rated voltage 250 V~, maximum power 3680 W, made of polypropylene with a white finish. Screw fixing and child protection on the sockets. Ideal for workshops, offices and homes with lamps and small appliances.

FINISH

White

APPLICATION

Domestic

MATERIAL

Polypropylene

PACKAGING

Sleeve band

REMARKS

Does not convert voltage. Domestic and indoor use.

TECHNICAL INFORMATION

FORMAT

Euro-Schuko

NOMINAL VOLTAGE (V~)

250 V~

SOCKET LOCATION

Top

CURRENT (A)

16 A

NUMBER OF OUTLETS

2

VOLTAGE (V~)

250 V~

IP RATING

IP20

POWER SUPPLY (V~)

250 V~

MAXIMUM POWER (W)

3680

PLUG TYPE

F

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | DIN VDE 0620-2-1:2021 + A1:2023 | UNE 20315-2-5:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8412852983035

UNITARY PACKAGING HEIGHT

110

UNITARY PACKAGING WIDTH

105

UNITARY PACKAGING LENGTH

75

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

498520

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.096

PRODUCT NET WEIGHT

0.09

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

18412853011086

UNITS CONTAINED PACKAGING

6

PACKAGING HEIGHT

125

PACKAGING WIDTH

120

PACKAGING LENGTH

395

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

5376000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

1.1

PACKAGING NET WEIGHT

0.54

PACKAGING WEIGHT UNIT

KGM

simon

