
CIMA Classic flush-mounted box for flush installation of 3 double positions when installed in a drywall Simon

REF. **SM360**



BASIC INFORMATION

FINISH
Grey

MATERIAL
Plastic

COMPATIBILITY
With trim and flush-mounted wall frame of 3 double elements Simon Cima Classic.

ETIM CLASS
EC002601

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)
+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION
08

KIT AVAILABILITY
No

NUMBER OF PRE-PUNCHED HOLES 31 X 4.65MM
5

RAL
7011

RECESS DIMENSION (MM)
146 x 185 mm

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

EXTINGUISHING (°C)
+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

INSTALLATION DIRECTION
Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436017702

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.37

PRODUCT NET WEIGHT
0.37

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436017702

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
65

PACKAGING WIDTH
155

PACKAGING LENGTH
210

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
2115750

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.37

PACKAGING NET WEIGHT
0.37

PACKAGING WEIGHT UNIT
KGM