

Quick connection patch cord female-Schuko 3-pole 2 meters long in PVC with cross-section of 3 x 1.5mm² graphite

REF. CR1020/14



BASIC INFORMATION

FINISH

Black

COMPATIBILITY

Flexible connection system and
SIMON 400

ETIM CLASS

EC002587

MATERIAL

Plastic,PVC

TECHNICAL INFORMATION

PROTECTION AGAINST DIRECT ACCESS OF CONTACTS

Yes

IP RATING

IP20

RAL

7021

CONNECTOR TYPE

GST18

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VOLTAGE (V~)

250 V~

CURRENT (A)

10 A

INSTALLATION AND MAINTENANCE

REMOVAL OF CONNECTOR

No tools needed

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.351

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

8950500

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436039797

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

5

PACKAGING GROSS WEIGHT

0.3

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

170

PACKAGING NET WEIGHT

1.755

UNITARY PACKAGING GROSS
WEIGHT

0.351

PACKAGING WIDTH

195

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

270