


French socket base 16 A 250V~ with screw terminal connection Simon 75

REF. 75458-39



BASIC INFORMATION

DESCRIPTION

French socket base 16 A 250 V~ Simon 75 with screw terminal connection system, designed for electrical installations with French 2P+T system in residential and professional environments. Supports a nominal current of 16 amperes at 250 V~, ensuring a safe and stable power supply. Incorporates a screw connection system that provides a firm and reliable attachment of the wiring, ensuring a durable installation. The covers include integrated child protection to enhance safety in homes and public-use spaces. Made with metallic components and halogen-free thermoplastic insulation, in accordance with IEC 60884-1 standards, it offers resistance, durability, and high performance within the Simon 75 series and compatible frames.

MATERIAL

Plastic, Metal

COMPATIBILITY

Marcos Simon 75, Simon 82
Detail, Simon 82 Nature, Simon
82 Concept and Simon 82

PACKAGING CONTENTS

Socket outlet

ETIM CLASS

EC000125

REMARKS

The covers include the child protection function.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

2,5 mm

CURRENT (A)

16 A

RECESS DIMENSION (MM)

35

CONNECTOR TYPE

French

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

LINKABLE

Yes

VERSION

Single

FORMAT

French

TYPE OF MECHANISM

Insertion

VOLTAGE (V~)

250 V~

FREQUENCY

50 Hz

MONOBLOCK

No

NUMBER OF WIRES

6

NOMINAL VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

14

REMOVAL OF COVER

Only with tool

INSTALLATION TYPE

Suitable for surface and flush mounting

CLAW

Simon 75

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053015049

PACKAGING VOLUME

3017190

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

10

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

83

PACKAGING GROSS WEIGHT

0.73

UNITARY PACKAGING GROSS WEIGHT

0.073

PACKAGING WIDTH

165

PACKAGING NET WEIGHT

0.73

PRODUCT NET WEIGHT

0.073

PACKAGING LENGTH

221

PACKAGING WEIGHT UNIT

KGM

