

Back kit for 2 elements with 1 Schuko socket outlet with built-in USB charger and 2 two-way push-button switches Simon 100

REF. 10010212-039



BASIC INFORMATION

FINISH

Black

COMPATIBILITY

Front Kit Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC002846

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

2 elements

FORMAT

Schuko,USB

INDICATOR FUNCTION

No

CURRENT (A)

10 AX

IP RATING

IP20

TYPE OF MECHANISM

Push button rocker switch/Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

POWER SUPPLY (V~)

250 V~

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

USB CHARACTERISTICS

10W

USB CURRENT (A)

2,1 A

USB VOLTAGE (V~)

5 Vdc

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal

INSTALLATION TYPE

Suitable for flush mounting

KIT INSTALLATION DIRECTION

Horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

2-way Switch: 1 click connection (1 click®)

TYPE OF TERMINAL CONNECTION - FUNCTION 2

Schuko/USB: Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053201312

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053201312

PACKAGING VOLUME

0

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

0

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

0

PACKAGING NET WEIGHT

0.294

UNITARY PACKAGING GROSS
WEIGHT

0.294

PACKAGING LENGTH

0

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.294