


Telephone socket with 6 pins RJ12 white

REF. 75481-30



BASIC INFORMATION

DESCRIPTION

Belonging to the Simon 75 series we find this telephone socket with six RJ12 pins of socket white colour, the type of terminal connection is by means of a single connection, taking so an installation easy and comfortable. The manufacture is halogen-free with metal components with insulation, it also includes a thermoplastic trim. For this reason, it complies with the regulation TIA 568 C. 2, allowing it to operate with the component to temperatures between 5°C and 40°C. The installation can be done in a universal box, complying with this regulation is compatible for the series Simon 75, Simon 82 and Simon 88. The telephone socket provides more space for the installation of cables, and the electrical diagram allows visualizing the connection options and a great support thanks to the metal claws that it contains. The Simon 75 series is one of the most demanded by customers due to its high quality price because it offers a features inigualables with a design, comfort and usability in the range.

FINISH

White

COMPATIBILITY

Simon 28, Simon 75, Simon 82 Detail, Simon 82 Nature, Simon 82 and Simon 88 frames

PACKAGING CONTENTS

Telephone socket with 6 RJ12 pins

ETIM CLASS

EC000018

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 0,3 to 0,5 mm

NUMBER OF CONNECTORS

1

CONNECTOR TYPE

RJ12

NUMBER OF CONTACTS

6

NUMBER OF POSSIBLE ELEMENTS

1 element

FORMAT

RJ

IP RATING

IP20

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

NUMBER OF WIRES

2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

CLAW

Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053256268

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.052

PRODUCT NET WEIGHT

0.052

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053004548

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

82

PACKAGING WIDTH

165

PACKAGING LENGTH

223

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3017190

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.52

PACKAGING NET WEIGHT

0.52

PACKAGING WEIGHT UNIT

KGM