

Flat voice and data plate with dust cover for 2 RJ45 ITT Cannon® for 1 element graphite Simon 500 Cima

REF. 50016089-038



BASIC INFORMATION

DESCRIPTION

This plate is finished in graphite grey colour and flat form it is part of the Simon 500 Cima series. It is designed for connection voice and data, which is why it has 2 elements for RJ45 ITT Cannon ® with its an adaptable. It is manufactured with thermoplastic components halogen-free, certificado no flame spread in case of fire and smoke in case of fire. To speed up installation, this plate has a snap-fit to fix in wrappers without the need of adapter. It also has a dust shutter to maintain the system clean and no alteration. It has a click terminal connection, with which it is only necessary to insert, tighten and then you're ready. Simple, fast and without having to strip the wire. The series 500 Cima, Simon offers us a set of mechanisms for electrical, voice, data and multimedia in work stations and professional environments. It also includes kits as assembled and wired, ready to be installed. Series of Simon 500 Cima, the most complete connection system on the market.

FINISH

Graphite

PACKAGING CONTENTS

Flat voice and data plate with
dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

DUST SHUTTER

Yes

NUMBER OF MODULES

1

AVAILABLE IN

Plate for 1 and 2 RJ45

FORMAT

RJ45

PLATE TYPE

Flat

COMPATIBLE WITH CONNECTORS

ITT Cannon® RJ45 connectors.

IP RATING

IP20

RAL

7021

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

ITT Cannon® RJ45 connectors

SNAP-FIT TYPE

ITT Cannon® RJ45 connectors

DUST PROTECTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053096932

PACKAGING VOLUME

0.604

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

10

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

54

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING GROSS WEIGHT

0.034

PACKAGING WIDTH

52

PACKAGING NET WEIGHT

0.34

PRODUCT NET WEIGHT

0.034

PACKAGING LENGTH

215

PACKAGING WEIGHT UNIT

KGM

