Support with red LED for 1click® mechanisms with light or pilot light

REF. **7700802-037**



BASIC INFORMATION

DESCRIPTION

Within the range of control mechanisms of the Simon 77 collection, is the support with red LED with luminous or pilot light of total consumption of 0.55 Milliampere/Milliampere (mA). This mechanism is designed for a quick and easy installation without the need for stripping cabling thanks to its click terminal connection with which you need only to enter the wire, tighten and directly, is ready to start to operate. It is compatible with power supplies voltage of 250 Volts, and has a recommended temperature range is 5 to 40 ° C reached maximum temperatures of -25 and 50 °C. Easy installation in the minimum time, functionality and innovation in a product with the guarantees of security and quality features of the Simon 77 collection.

COMPATIBILITY

Simon 77 mechanisms

PACKAGING CONTENTS

Bracket and instructions

ETIM CLASS

EC002649

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CONSUMPTION INDICATOR (MA)
0.55 mA

INDICATOR FUNCTION
Yes

CURRENT (A)
0,55 mA

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

CLAW
Simon 27

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008 + EN 60998-2-3:2004

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053256510

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.012

PRODUCT NET WEIGHT
0.012

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053077825

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
95

PACKAGING WIDTH
75

PACKAGING LENGTH
95

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.677

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.06

PACKAGING NET WEIGHT
0.06

PACKAGING WEIGHT UNIT
KGM