
Push button 10 A 250V~ with quick terminal connection system Simon 75

REF. **75150-39**



BASIC INFORMATION

DESCRIPTION

The Simon 75 series presents the 10 A 250V~ Push Button with quick terminal connection system and tilting operation. This element has the possibility to implement signaling function through signaling support and key with viewer. It is suitable for surface and flush mounting, allowing easy installation in just a few minutes. Resistance and durability are two adjectives that define this push button made with metallic components with halogen-free thermoplastic insulation, which prevents deterioration under high and low temperatures. Additionally, it is suitable for a cable section of 1.5 to 2.5 mm^2 and 11 mm of cable stripping. All these qualities do not affect its price, as we are looking at one of the most economical push buttons available on the market today.

MATERIAL

Plastic,Metal

COMPATIBILITY

Marcos Simon 75, Simon 82 Detail, Simon 82 Nature, Simon 82 Concept and Simon 82

PACKAGING CONTENTS

Mechanism

ETIM CLASS

EC000029

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 1,5 to 2,5 mm

NUMBER OF CONTACTS
2

NUMBER OF POSSIBLE ELEMENTS
1 element

FREQUENCY
50 Hz

INDICATOR FUNCTION
No

IP RATING
IP20

LINKABLE
No

TYPE OF MECHANISM
Pivoting

MONOBLOCK
No

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

RECESS DIMENSION (MM)
40

VERSION
Single

VOLTAGE (V~)
250 V~

NUMBER OF WIRES
2

INSTALLATION AND MAINTENANCE

BUS CONNECTION TYPE OF TERMINAL CONNECTION
Por inserción

CABLE STRIPPING NECESSARY (MM)
15

CLAW
Simon 27

REMOVAL OF COVER
Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053255797

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.058

PRODUCT NET WEIGHT
0.058

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053003565

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
83

PACKAGING WIDTH
165

PACKAGING LENGTH
221

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
3026595


PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.58

PACKAGING NET WEIGHT
0.58

PACKAGING WEIGHT UNIT
KGM


L
N


74 mm
74 mm
28 mm
38,3 mm