


Ceiling trim for square column with 2 sides white Simon K45

REF. RALK002/8



BASIC INFORMATION

DESCRIPTION

It is a ceiling trim indicated for a pole of 2 sides, square. Finished in white, the piece belongs to the series Simon K45 and has dimensions of 117 x 117 x 12 mm. This is manufactured in halogen-free thermoplastic material, very safe in case of fire, as it prevents the fire from extending and reduces the toxicity if there is smoke. The trim is in compliance with current regulations. It is, in fact, a product envisaged as a replacement part, in the event of loss or substitution. It is delivered in white plastic colour. As for its maintenance, it is advisable to clean the article with a soft and dry cloth, it is not advisable to use abrasive cloths and cleaners containing chlorine. Simon K45 is a collection designed to facilitate connectivity in the work stations. Its products have been designed to offer all kinds of connections in a single space.

FINISH

White

PACKAGING CONTENTS

Ceiling trim

MATERIAL

Plastic

ETIM CLASS

EC002980

REMARKS

Product envisaged as a replacement part, in the event of loss or substitution. It is supplied in white plastic.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

1-sided, 2-sided (square and oval) and 4-sided

DIELECTRIC STRENGTH

Without perforation or contournement with 2000 V at 50H during 1 minute

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

EARTHING RESISTANCE

< 0.05 ?

HEAT RESISTANCE (°C)

+125°C (according rule IEC 60695-10-2)

INSULATION RESISTANCE (V-MΩ)

5 MOhms at 500 V.

IP RATING

IP4X

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-25 a 120° C

RAL

9003

VERSION

2-sided, (Square)

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Through direct snap-fit of the two parts on the column profile (does not require the use of tools for fastening)

INSTALLATION DIRECTION

Horizontal

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 50085-2-4:2009

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436056411

PRODUCT NET WEIGHT

0.03

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

0.003

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436056411

PACKAGING VOLUME UNIT

HLT

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

20

PACKAGING NET WEIGHT

0.03

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

150

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.03

PACKAGING LENGTH

100