

**2-way switch 10A 250V~ for half element with built-in light indicator and fast terminal connection system ivory Simon 27 Play**

REF. 27204-61



## BASIC INFORMATION

### DESCRIPTION

The balance between design and functionality are one of the main features of the 2-way switch half element of the Simon 27 Play collection, with finishes in a discreet yet sophisticated ivory tone, this 2-way switch with rocker function, it includes system of signaling function with built-in indicator light light, to enhance the maximum the functional possibilities of the product. With a size 22.5 x 45 mm, it consists of 1 module for half an element and is made up of metal materials of thermoplastic with thermoset trim, to guarantee the security of the room is a possible fire. Compatible with power supplies of 250 Volts and a maximum load of 10 AX, has a 0.55 milliampere for the signaling function, it is designed for installation both recessed and surface-mounted, with a assembly simple thanks to be quick terminal connection, and supports a wire cross-section de1,5 to 2.5 mm and stripping of 11 mm

### FINISH

Ivory

### COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

### PACKAGING CONTENTS

Mechanism with rocker

### ETIM CLASS

EC001590

### REMARKS

Can be combined with article 2700802-064 if replacing the light indicator.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### CURRENT (A)

10 AX

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

### IP RATING

IP20

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### CONSUMPTION INDICATOR (mA)

0.55 mA

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### VERSION

Single

### NUMBER OF POSSIBLE ELEMENTS

Half element

### TYPE OF MECHANISM

Pivoting

### VOLTAGE (V~)

250 V~

### INDICATOR FUNCTION

Yes

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

11

### CLAW

Simon 27

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small  
spaces and Centralisations

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush  
mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053251805

### UNITARY PACKAGING HEIGHT

22.6

### UNITARY PACKAGING WIDTH

38.1

### UNITARY PACKAGING LENGTH

45.5

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

0.039

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.026

### PRODUCT NET WEIGHT

0.022

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053035740

### UNITS CONTAINED PACKAGING

20

### PACKAGING HEIGHT

53

### PACKAGING WIDTH

105

### PACKAGING LENGTH

220

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

1.224

### PACKAGING VOLUME UNIT

DMQ

### PACKAGING GROSS WEIGHT

0.521

### PACKAGING NET WEIGHT

0.44

### PACKAGING WEIGHT UNIT

KGM

# MECANISMOS SIMON 27, 28 Y 44

## Mecanismos básicos / Basic switches



Interrupor unipolar / Single-pole switch  
XX00101-XX



Pulsador / Push button switch  
XX00150-XX



Interrupor bipolar / Double pole switch  
XX00133-XX



Conmutador / 2-way switch  
XX00201-XX



Conmutador cruce / Intermediate switch  
XX00251-XX

## Mecanismos con piloto / Pilot switches



Interrupor unipolar / Single-pole switch  
XX00102-XX



Interrupor bipolar / Double pole switch  
XX00134-XX



Conmutador / 2-way switch  
XX00202-XX



Interrupor unipolar / Single-pole switch  
XX00104-XX



Pulsador / Push button switch  
XX00160-XX



Conmutador / 2-way switch  
XX2700204-XX



Conmutador cruce / Intermediate switch  
XX2700254-XX