

16 AX 250 Vac impulse switch with 1 click ® Simon 100 connection system

REF. 10000211-039



BASIC INFORMATION

DESCRIPTION

Presentation of push-button switch with 1-click® connection system, individual version with half-element. The item number is 10000211-039 and is part of the Simon 100 series. The product collection is focused on greater usability (it revitalizes spaces to create experiences suitable for every lifestyle) and aesthetics . The ultimate goal is to never stop feeling. You will be able to manage all your mechanisms and switches intuitively, with more sensitivity and comfort.

This switch supports a voltage of 250 volts and an intensity of 16 amps. Installation is simple: just one click and it's ready to use. For maintenance, a minimum of maintenance is required. Clean with a soft cloth dampened with soapy water. We do not recommend the use of abrasive cloths and / or cleaners containing chlorine under any circumstances, as this may damage the finish of the product or even the interior mechanism.

FINISH

Black

COMPATIBILITY

Frames Simon 100

ETIM CLASS

EC001590

MATERIAL

Various

PACKAGING CONTENTS

Mechanism and instructions

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 AX

POWER SUPPLY (V~)

250 V~

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE

(°C)

-25 - 75 °C

NUMBER OF POSSIBLE ELEMENTS

Half element

TYPE OF MECHANISM

Momentary switch button

VERSION

Individual

INDICATOR FUNCTION

No

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CLAW

INSTALLATION DIRECTION

Horizontal

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

1 click connection (1 click®)

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

INSTALLATION TYPE

Suitable for recreation

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD | Directive 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053190685

PACKAGING VOLUME
975000

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
40

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.025

PACKAGING WIDTH
125

PACKAGING NET WEIGHT
0.25

PRODUCT NET WEIGHT
0.025

PACKAGING LENGTH
195

PACKAGING WEIGHT UNIT
KGM

