

Downlight 705.24 Tilt Square WW Wide Flood Aluminium

REF. 70524033-483



BASIC INFORMATION

DESCRIPTION

Downlight 705.24 Square with the collection Simon for indoor lighting you will get the maximum efficiency, innovation and functionality for a space with a uniform lighting with high visual control. The square design and directional, it is integrated into all types of spaces, adding a minimalist style, with a lighting that you will be able to direct it to your taste and needs specific and, in addition, with control of switching on ON-OFF. Its WIDE FLOOD optics, for angles holes, has a colour temperature of 3100 K with a warm tone WW and 1000 lm, with total consumption of 15.5 W. With a power of 100-240 Volt and 50-60 Hz, has a service life of 30,000 hours at 25 °C. Its installation is suitable for both recessed false ceiling as plastered and, with finishes in Aluminium and design, square, the total integration of the set in the space, is guaranteed. Sophistication in the design and innovation and functionality of light distribution in the collection Simon Downlight 705.24.

APPLICATION

Ambient lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

1000 lm/15,5W

IP RATING

IP20

ELECTRICAL CLASS

Type 2

OPTICS

Wide Flood

OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

POWER (W)

15.5 W

COLOR TEMPERATURE (K)

3100 K

COLOR TYPE

WW

POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

CONTROL

On/Off

LIGHTING EFFICIENCY (LM/W)

65 lm/W

SERVICE LIFE

30.000 h

CRI

80

LUMENS (LM)

1000 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

136

INSTALLATION TYPE

Flush mount

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053122341

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.612

PRODUCT NET WEIGHT

0.612

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053122341

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

115

PACKAGING WIDTH

150

PACKAGING LENGTH

175

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.019

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.612

PACKAGING NET WEIGHT

0.612

PACKAGING WEIGHT UNIT

KGM