

Plastic bucket for adjustable floor box of 1 double element for pavement floor installation Simon Cima

REF. G11



BASIC INFORMATION

FINISH

Grey

MATERIAL

Various

COMPATIBILITY

With adjustable floor boxes of 1 double element for pavement and inspection covers of 1 double element Simon Cima.

ETIM CLASS

EC000114

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

08

RECESS DIMENSION (MM)

220 x 172.2 mm

KIT AVAILABILITY

No

INSTALLATION AND MAINTENANCE

NUMBER OF CHANNEL ENTRIES

2

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

SCREWS REQUIRED FOR SLAB FIXING

Minimum 2 (1 on each side, diagonal). It is recommended to secure the mounting box with 4 screws for maximum secure fixation

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436016323

PRODUCT NET WEIGHT

0.725

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

3152700

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436016323

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.78

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

75

PACKAGING NET WEIGHT

0.725

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

186

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.725

PACKAGING LENGTH

226