

Flat voice and data faceplate with dust cover, 1 RJ45 Cat 6 UTP female-to-female connector, white, Simon K45

REF. K96UF/9



BASIC INFORMATION

DESCRIPTION

Simon K45 white voice and data faceplate, flat 1-gang with dust cover and Cat 6 UTP RJ45 female-to-female connector. Ideal for safe and tidy network installations in professional or home environments.

FINISH

White

COMPATIBILITY

Simon K45 enclosures for installation on wall, floor, ceiling, and furniture, and Simon 500 Cima enclosures (requires combination with the adapter from K45 to 500 Cima ref. 50012088-030).

ETIM CLASS

EC000018

REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90° positioner (ref. K66) to guide the plate into a vertical position.

TECHNICAL INFORMATION

CONNECTOR TYPE

RJ45

IP RATING

IP20

PLATE TYPE

Flat

DUST SHUTTER

Yes

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9003

FORMAT

RJ45

INSTALLATION AND MAINTENANCE

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053341100

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053341100

PACKAGING VOLUME

2115750000

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

650

PACKAGING GROSS WEIGHT

0.338

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

1550

PACKAGING NET WEIGHT

0.27

UNITARY PACKAGING GROSS
WEIGHT

0.27

PACKAGING LENGTH

2100

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.27