


Plate for 2W speaker/buzzer white Simon 75

REF. 75052-38



BASIC INFORMATION

DESCRIPTION

Plate for 2W twitter-speaker, finished in white colour and belonging to the Simon 75 series. This range Simon 75 offers infinite combinations of colour, as well as an incredible game of shapes, suitable for the most varied tastes. Also, stands out because it is compatible with the mechanisms of Simon 77, which allows you to connect the cables without having to peel them, braid them and without that they do not have to use additional tools to place them, which means that we reduce the installation time. It can be installed both on the surface-mounted as for recessed in rooms with a temperature located between 5 and 40°C, although this plate is able to withstand extreme temperatures of -25 to 50°C, approximately. It is fabricated in thermoplastic and its design complies with the regulation UNE-EN 62080: 2010. In addition, its cleaning is quite simple because, in order to keep it in perfect condition, single vas to have to use a soft, damp cloth, moistened in soapy water.

FINISH

Graphite

MATERIAL

Thermostable

PACKAGING CONTENTS

Cover

SYMBOL

Without engravings

COMPATIBILITY

Simon 75 and Simon 75 mechanisms

ETIM CLASS

EC002484

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 55020:2007 + EN 55020:2007 A11:2011 + EN 55032:2012 + EN 60065:2002 + EN 60065:2002 A1:2006 + EN 60065:2002 A11:2008 + EN 60065:2002 A2:2010 + EN 60065:2002 A12:2011 + EN 61000-3-2:2006 + EN 61000-3-2:2006 A1:2009 + EN 61000-3-2:2006 A2:2009 + EN 61000-3-3:2013

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
597780

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.023

PRODUCT NET WEIGHT
0.023

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053044100

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
81

PACKAGING WIDTH
82

PACKAGING LENGTH
90

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
1504126

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.115

PACKAGING NET WEIGHT
0.115

PACKAGING WEIGHT UNIT
KGM