Front kit for 3 elements with 2 German socket outlets, and 1 2xUSB charger with smartcharge matt black Simon 100

REF. **10020309-238**



BASIC INFORMATION

DESCRIPTION

Front kit for 3 elements with 2 bases Schuko plug and 1 charger 2xUSB with smartcharge made in matte black, ideal for those spaces where you want to give an image of elegance. This product is part of Simon's 100 series.

As for the technical characteristics, it has an intensity in Schuko of 16 A and in USB of 2.1 A. Its activation is by insertion, its dimensions are 225.5x83.5mm and its voltage is 250 V~.

The contents of its packaging include the cover and the keys. This product can be placed both vertically and horizontally. It is a standard product that is marketed in the EC.

For maintenance and cleaning it is advisable to use a soft cloth slightly dampened in soapy water, so as to avoid the use of cleaners that may contain chlorine, to increase the durability of the material on the surface of the product.

The device must be preserved in an interval of between 5º C and 40º C for its correct operation and the interval of the temperature for its storage oscillates between -25º C and 50º C. It complies with the following regulation: 2014/35/UE LVD + directive 2011/65/EU RoHS + EN 50581: 2012 + EN 60669-1: 1999 + EN 60669-1: 1999 A1: 2002 + EN 60669-1: 1999 A2: 2008.

FINISH

Matt black

COMPATIBILITY

Kit mechanisms Simon 100

ETIM CLASS

EC000007

MATERIAL

Thermoplastic

PACKAGING CONTENTS

Mechanism and instructions

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

NUMBER OF POSSIBLE ELEMENTS
3 elements

FORMAT
Schuko,USB

INDICATOR FUNCTION
No

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MONOBLOCK
Yes

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
3 elements

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Vertical and horizontal

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053213711

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.132

PRODUCT NET WEIGHT
0.132

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053213711

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
25.3

PACKAGING WIDTH
226

PACKAGING LENGTH
84

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
480295.2

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.132

PACKAGING WEIGHT UNIT
KGM