

## Front face kit for 2 elements with 1 2P socket, 1 dimmer and 1 left gloss black USB charger Simon 100

REF. 10020231-138



### BASIC INFORMATION

#### FINISH

Gloss black

#### ETIM CLASS

EC000007

### TECHNICAL INFORMATION

#### AVAILABLE MARKET

CE

#### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

#### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

#### TYPE OF MECHANISM

Momentary switch / Insert button

#### VOLTAGE (V~)

230 V~

## INSTALLATION AND MAINTENANCE

### INSTALLATION TYPE

Suitable for flush mounting

### TYPE OF TERMINAL

#### CONNECTION - FUNCTION 1

2P socket: Connection (1 click®)

### TYPE OF TERMINAL

#### CONNECTION - FUNCTION 2

Switch/USB: Screw

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010\*6 + EN 60950-1:2006 + EN 60950-1:2006 A11:2009 + EN 60950-1:2006 A1:2010 + EN 60950-1:2006 A12:2011 + EN 60950-1:2006 A2:2011\*3 + ETSI-EN 301489-34 v14.1\*3 + IEC 60884-1 Ed. 3.2\*1

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053232699

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING GROSS WEIGHT

0.086

### PRODUCT NET WEIGHT

0.086

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053232699

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

25.3

### PACKAGING WIDTH

84

### PACKAGING LENGTH

155

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

329406

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0

### PACKAGING NET WEIGHT

0.086

### PACKAGING WEIGHT UNIT

KGM