Flat voice and data plate with dust cover for 2 RJ45 ITT Cannon® for 1 element graphite Simon 500 Cima

REF. **50016089-038**



BASIC INFORMATION

DESCRIPTION

This plate is finished in graphite grey colour and flat form it is part of the Simon 500 Cima series. It is designed for connection voice and data, which is why it has 2 elements for RJ45 ITT Cannon ® with its an adaptable. It is manufactured with thermoplastic components halogen-free, certificado no flame spread in case of fire and smoke in case of fire. To speed up installation, this plate has a snap-fit to fix in wrappers without the need of adapter. It also has a dust shutter to maintain the system clean and no alteration. It has a click terminal connection, with which it is only necessary to insert, tighten and then you're ready. Simple, fast and without having to strip the wire. The series 500 Cima, Simon offers us a set of mechanisms for electrical, voice, data and multimedia in work stations and professional environments. It also includes kits as assembled and wired, ready to be installed. Series of Simon 500 Cima, the most complete connection system on the market.

FINISH

Graphite

PACKAGING CONTENTS

Flat voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
ITT Cannon® RJ45 connectors.

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
Yes

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Flat

RAL
7021

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
ITT Cannon® RJ45 connectors

SNAP-FIT TYPE
ITT Cannon® RJ45 connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.034

PRODUCT NET WEIGHT
0.034

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053096932

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
54

PACKAGING WIDTH
52

PACKAGING LENGTH
215

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.604

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.34

PACKAGING WEIGHT UNIT
KGM


50
50
5
11