

**Front kit for 4 elements with 2 German socket outlets, 1 HDMI + USB connector, 1 toma R-TV+SAT socket + 1 RJ45
gloss black Simon 100**

REF. 10020402-138



BASIC INFORMATION

DESCRIPTION

Front kit for 4 elements, with 2 Schuko plug bases, 1 HDMI + USB connector, 1 R-TV + SAT socket + 1 RJ45 connection and glossy black finish. A truly complete Simon 100 series front kit, with different functionalities and that, like all the products in this series, allows maximum interaction with the different electrical installations since it has a pulsation mechanism that can handle blinds, lights and other devices intuitively, such as multimedia kits that offers TV, games, music and plug connectors.

The Schuko plugs have a type of emborning by cutt (1 click) and the rest of the devices are screw-based. Its intensity is 16A in Schuko type plugs. This product complies with the ICT regulation that regulates common telecommunications infrastructures inside buildings.

This device has dimensions of 296.5x83.5mm. It can be installed vertically and horizontally.

It is a device that responds to regulations 2014/35 / UE LVD + directive 2014/30 / UE EMC + directive 2011/65 / UE RoHS + EN 50083-2: 2012 * 4 + EN 50581: 2012 + IEC 60603-7 -4: 2010 * 5 + IEC 60884-1 Ed. 3.2 * 1.

FINISH

Gloss black

PACKAGING CONTENTS

Mechanism and instructions

COMPATIBILITY

Kit mechanisms Simon 100

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

4 elements

INDICATOR FUNCTION

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MONOBLOCK

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

4 elements

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 2

R-TV+SAT: / HDMI / USB: Screw

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50083-2:2012*4 + EN 50581:2012 + IEC 60603-7-4:2010*5 + IEC 60884-1 Ed. 3.2*1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053201671

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.164

PRODUCT NET WEIGHT

0.164

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053201671

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

25.3

PACKAGING WIDTH

297

PACKAGING LENGTH

84

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

631184.4

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.164

PACKAGING NET WEIGHT

0.164

PACKAGING WEIGHT UNIT

KGM