

USB C charger 20W Power Delivery Simon 100

REF. 10000382-039



BASIC INFORMATION

MATERIAL

Plastic,Metal

COMPATIBILITY

Marcos Simon 100

ETIM CLASS

EC002949

TECHNICAL INFORMATION

CONNECTOR TYPE

USB C

INDICATOR FUNCTION

No

MONOBLOCK

No

FORMAT

USB

IP RATING

IP20

POWER SUPPLY (V~)

127/230 V~

FREQUENCY

50 - 60 Hz

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

USB CHARACTERISTICS

PD 20W

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

7

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2009/125/EC ErP (Reg. UE 2019/1782) | EN 62368-1:2014 + A11:2017 | EN 50563:2011 + A1:2013 | EN IEC 63000:2018 ETSI | EN 301489-34 V2.1.1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053353486

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053353486

PACKAGING VOLUME

0.143

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

55

PACKAGING GROSS WEIGHT

0.728

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

40

PACKAGING NET WEIGHT

0.053

UNITARY PACKAGING GROSS
WEIGHT

0.073

PACKAGING LENGTH

65

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.053

