

## Trim plate for 1 quick connection connector with 5 poles male or female for 2 elements black Simon K45

REF. K18W5/14



## BASIC INFORMATION

### DESCRIPTION

Model of plate for connectors And base plates for quick connections reference K18W5 / 14 belonging to the Professional range of components and products, suitable for Simon K45 Different environments work Installations professionals. It is a trim plate For 1 quick-connection 5 pole connector male or female, 2 elements Suitable for surface-mounted or recess. Is finished in colours and shades in black, manufactured in plastic contain components of thermoplastic character Halogen-free; guarantees no flame propagation in case of Fire and low toxicity in the event of smoke generation. Individual version with dimensions of 45 x 90 x 8.5 mm and 8,5mm of depth, Versatile piece to complete the various types of installations for Quick connections, with the quality of the Simon K45 range of products.

### FINISH

Black

### MATERIAL

Plastic

### COMPATIBILITY

Simon K45 housing for mounting on the wall, floor, ceiling and furniture.

### PACKAGING CONTENTS

Plate for one 5-pole quick connection connector

### ETIM CLASS

EC000011

### REMARKS

Connector not included (to be purchased separately). If using another quick connect brand, the plate is compatible with the leading manufacturers (Wieland®, Wago®, etc). To fix the connector to the plate correctly, the clips must be between 1.5 and 2 mm thick.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

### KIT AVAILABILITY

No

### NUMBER OF MODULES

1 module

### FORMAT

GST18

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RAL

7021

### INDICATOR FUNCTION

No

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

### INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

### REMOVAL OF THE PLATE

Only with tool

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60535:2009 A1:2013

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.02

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING VOLUME

911400

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436042698

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.2

UNITARY PACKAGING VOLUME  
UNIT

MMQ

PACKAGING HEIGHT

70

PACKAGING NET WEIGHT

0.2

UNITARY PACKAGING GROSS  
WEIGHT

0.02

PACKAGING WIDTH

93

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

140