Adaptor plate for Simon 27 mechanical mechanisms for 2 elements graphite Simon 500 Cima

REF. **50000088-038**



BASIC INFORMATION

DESCRIPTION

This adaptor plate for Simon 27 mechanisms, it is part of the Simon 500 Cima series, has a stylish finished in graphite grey colour and is designed for 2 elements in total. In case you want to install electronic mechanisms belonging to the Simon 27 Play series, it is necessary to use the reference 50011088-038. The adapter plate has two modules and it can be installed both recessed and surface-mounted. The manufacturing material gives enormously quality and security. It is a thermoplastic material, which does not contain halogens, and it can withstand maximum temperatures of up to 60 degrees centigrade if it is installed in surface-mounted and up to 90 ° if you recessed. The exact dimensions of the plate are 100 x 50 millimetres and a depth of 9,62 millimetres. For maintenance you just need to clean it with a very soft and completely dry cloth, free of abrasive chemical and cleaners.

FINISH

Graphite

MATERIAL

Plastic

COMPATIBILITY

Simon 27 Play mechanical mechanisms

PACKAGING CONTENTS

Adaptor plate for Simon 27 mechanical mechanisms for 2 elements

ETIM CLASS

EC002649

REMARKS

If installing Simon 27 Play electronic mechanisms, you will need to use article no. 50011088-038

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
Adaptor for Simon 27 Play mechanical mechanisms for 1 and 2 elements, with a specific version for Simon 27 Play electronic mechanisms for 1 element

MAX TEMP DURING CONSTRUCTION WORK (ºC)
+60 ºC in surface-mount wall installation and +90 ºC in flush-mount wall installation

IP RATING
IP20

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (ºC)
-5 to 60 ºC

NUMBER OF MODULES
2

RAL
7021

VERSION
2 elements

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING
By direct snap-fit in the selected enclosure (no tools needed for fastening))

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Suitable for surface or flush-mount installation

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
UNE-EN 60.670-1:2006

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.015

PRODUCT NET WEIGHT
0.015

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053095683

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
88

PACKAGING WIDTH
123

PACKAGING LENGTH
136

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1472064

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.15

PACKAGING WEIGHT UNIT
KGM


50
100
18,62
10,7