

GERMAN SOCKET OUTLET 16A 250V~ WITH SCREW TERMINAL CONNECTION SYSTEM TITANIUM SIMON 82 CONCEPT

REF. 8200432-096



BASIC INFORMATION

FINISH

Titanium

PACKAGING

Flow pack

ETIM CLASS

EC000125

COMPATIBILITY

Simon 82

PACKAGING CONTENTS

Socket outlet

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

NOMINAL VOLTAGE (V~)

250 V~

CABLE SECTION ADMITTED (MM)

2,5 mm

CURRENT (A)

16 A

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 item

IP RATING

IP20

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

FORMAT

Schuko

TYPE OF MECHANISM

Insertion

VERSION

Single

MONOBLOCK

No

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

CLAW

Not possible

INSTALLATION TYPE

Suitable for surface or recessed
mount

REGULATIONS

WARRANTY

3 years

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053280027

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.09

PRODUCT NET WEIGHT

0.09

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053229781

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

83

PACKAGING WIDTH

165

PACKAGING LENGTH

221

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.027

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.9

PACKAGING WEIGHT UNIT

KGM