


Push-button switch 10A 24V~ with built-in red LED and fast terminal connection system

REF. 75552-39



BASIC INFORMATION

DESCRIPTION

Sometimes, certain mechanisms or electrical installations need a push-button switch to activate a or another function. This push-button switch (10 Amps and 24 Volt voltage) has a built-in red LED, providing not only the entire functionality necessary but also a beautiful and attractive design. With quick terminal connection system, this push-button switch is ideal for the home automation, as we all know are all those systems that allow you to automate a home in terms of energy reasons, of communication or protection and security. I.e., home automation for Simon is very important, can say essential (centralized control of lighting, blinds, etc.) The wire section admitted is from 1.5 to 2.5 millimetres (stripping of 11 millimetres wire), like all products of the Simon series, this push-button switch is made in the best material, which extends to the maximum the life of the product, it has different metal components with halogen-free thermoplastic insulation.

MATERIAL

Thermoplastic

COMPATIBILITY

Simon 75, Simon 82 Detail, Simon 82 Nature and Simon 82 frames

PACKAGING CONTENTS

Mechanism

ETIM CLASS

EC000029

TECHNICAL INFORMATION

AVAILABLE MARKET CE	INDICATOR FUNCTION Yes	OPERATING TEMPERATURE RANGE (°C) 5 - 40 °C
CABLE SECTION ADMITTED (MM) From 1,5 to 2,5 mm	CURRENT (A) 10 A	STORAGE TEMPERATURE RANGE (°C) -25 - 50 °C
CONSUMPTION INDICATOR (MA) 1 mA	IP RATING IP20	VERSION Single
NUMBER OF POSSIBLE ELEMENTS 1 element	TYPE OF MECHANISM Pivoting	VOLTAGE (V~) 24 V~

INSTALLATION AND MAINTENANCE

BUS CONNECTION TYPE OF TERMINAL CONNECTION Por inserción	CLAW Simon 27	INSTALLATION TYPE Suitable for surface and flush mounting
CABLE STRIPPING NECESSARY (MM) 11	INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Fast

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3017190

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.073

PRODUCT NET WEIGHT
0.073

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053029336

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
82

PACKAGING WIDTH
165

PACKAGING LENGTH
223

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
3017190

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.725

PACKAGING NET WEIGHT
0.73

PACKAGING WEIGHT UNIT
KGM