# Neutral push-button switch 10A 250V~ for half element with fast terminal connection system ivory Simon 27 Play

REF. **27659-61**



## BASIC INFORMATION

### DESCRIPTION

It is a neutral push-button switch 10A 250V ~, half element, with quick terminal connection system and ivory finish, measures 22.5x45 mm and is part of the Simon 27 Play series, a collection whose mechanisms combine functionality and design, it consists of metal components with halogen-free insulation and thermoplastic trim, materials that guarantee maximum security to users where it this push-button switch is installed. The article is suitable for surface and flush mounting and has been manufactured in line with the regulations in force. It is possible to replace the finish of the supplied rocker. Remember that there are 5 additional finishes available to choose the one that best suits your preferences. This reference is also compatible with the frames of the series Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralizations and Simon 44 Aqua. For the maintenance of this product, you can use a soft and dry cloth.

### FINISH

Ivory

### MATERIAL

Thermoplastic

### COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

### PACKAGING CONTENTS

Mechanism with rocker

### ETIM CLASS

EC000029

### REMARKS

Possibility of substituting the finish of the rocker supplied with a different one. 5 additional finishes available.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

### NUMBER OF POSSIBLE ELEMENTS

Half element

### INDICATOR FUNCTION

No

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TYPE OF MECHANISM

Pivoting

### NOMINAL VOLTAGE (V~)

250 V~

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)
11

### CLAW
Simon 27

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, American, Small spaces and Centralisations

### INSTALLATION DIRECTION
Horizontal, Vertical

### INSTALLATION TYPE
Suitable for surface and flush mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

## REGULATIONS

### REGULATIONS
Dir. 2014/35/UE LVD|Dir. 2011/65/UE RoHS + post. mod.|EN 60669-1:2018|EN IEC 63000:2018

## LOGISTICS INFORMATION

UNITARY EAN CODE
8421053252598

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
1229865

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.023

PRODUCT NET WEIGHT
0.023

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053044742

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
53

PACKAGING WIDTH
105

PACKAGING LENGTH
221

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1229865

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.46

PACKAGING NET WEIGHT
0.46

PACKAGING WEIGHT UNIT
KGM