

PVC trunking of 2m 160x55mm with 2 compartments for K45 functions in white color

REF. TK12122/9



BASIC INFORMATION

DESCRIPTION

PVC channel of 2m in length and a section of 160x55mm, with 2 front compartments capable of mounting all functions of the K45 range without the need for accessories, achieving significant savings in assembly time. Regardless of the designed structure, it ensures the insulation of electrical wiring from voice, data, and multimedia, in addition to maintaining its correct bending radius throughout the distribution. It adapts to different architectures through its installation accessories, with the possibility of branching to Mini-channel and Cable guide via the pre-punched line. Manufactured from high-quality PVC in color RAL 9003, it is equipped with a protection rating of IP4X. We are talking about a fireproof, self-extinguishing, and flame-retardant material. The indicated price is per meter and is supplied in batches of 6 units (12 meters in total)

FINISH

White

COMPATIBILITY

Functions K45

MATERIAL

PVC

ETIM CLASS

EC001938

TECHNICAL INFORMATION

IK CLASSIFICATION

07

KIT AVAILABILITY

No

RAL

9003

IP RATING

IP4X

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

REMOVAL OF THE FRAME

Only with tool

SECURING POSSIBILITIES

With slots every 25cm for screw access

REMOVAL OF COVER

Only with tool

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8426436028777

PACKAGING VOLUME
102444300

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
12

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
207

PACKAGING GROSS WEIGHT
25.8

UNITARY PACKAGING GROSS
WEIGHT
2.15

PACKAGING WIDTH
245

PACKAGING NET WEIGHT
25.8

PRODUCT NET WEIGHT
2.15

PACKAGING LENGTH
2020

PACKAGING WEIGHT UNIT
KGM