

German monoblock socket outlet 16A 250V~ with safety device and screw terminal connection system ivory Simon 82

REF. 82452-31



BASIC INFORMATION

FINISH

Ivory

PACKAGING CONTENTS

Socket outlet with cover and frame

TECHNICAL INFORMATION

AVAILABLE MARKET CE	CURRENT (A) 16 A	NOMINAL VOLTAGE (V~) 250 V~
CABLE SECTION ADMITTED (MM) 2,5 mm	MAINTENANCE Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.	OPERATING TEMPERATURE RANGE (°C) 5 - 40 °C
NUMBER OF POSSIBLE ELEMENTS 1 element	TYPE OF MECHANISM Insertion	STORAGE TEMPERATURE RANGE (°C) -25 - 50 °C
FORMAT Schuko	MONOBLOCK	VERSION Single
INDICATOR FUNCTION No		

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 13	INSTALLATION TYPE Suitable for surface and flush mounting	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Screw
INSTALLATION DIRECTION Horizontal, Vertical		

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009, UNE 20315-1-2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.121

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

3685500

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053029312

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

3685500

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

1.205

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

91

PACKAGING NET WEIGHT

1.21

UNITARY PACKAGING GROSS
WEIGHT

0.121

PACKAGING WIDTH

180

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

225