


# Wait/enter mechanism and viewer set

REF. 75804-39



## BASIC INFORMATION

### DESCRIPTION

Start-stop mechanism pack and performance. For correct operation, the diffuser 82096 and the 82013 rocker (not included) are required. The ""pass-wait"" mechanism belongs to the Simon 82 series, operates at 250V~ and is suitable for installation on surfaces and to be recessed. The wire must be in the range of 1.5 mm and 2.5 mm and the stripping of the wire must be 8 mm It is made of metal components with thermoplastic insulation and halogen-free and complies perfectly with the current regulation. The temperature range in which the product operates at full performance ranges from 0 to 40°C. The Simon 82 series is one of the most efficient in terms of electrical efficiency. Its operation requires rocker and diffuser. Thanks to the design and comfort that it has been planned to offer in this series, you can equip your premises with this mechanism to optimize performance in terms of services.

### COMPATIBILITY

Simon 75, Simon 82 Detail, Simon 82 Nature and Simon 82 frames

### PACKAGING CONTENTS

Wait/enter pack and instruction sheet

### ETIM CLASS

EC000064

### REMARKS

Requires rocker and diffuser

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### POWER SUPPLY (V~)

250 V~

### CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

### TYPE OF MECHANISM

Push

### STORAGE TEMPERATURE RANGE

(°C)

-20 - 75 °C

### INDICATOR FUNCTION

Yes

### OPERATING TEMPERATURE

RANGE (°C)

0 - 40 °C

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

8

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

### CLAW

Simon 27

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

UNE-EN 61000-3-3:2009

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053019139

### PRODUCT NET WEIGHT

0.155

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

597780

### UNITARY PACKAGING WIDTH

0

### PACKAGING EAN

8421053019139

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING LENGTH

0

### UNITS CONTAINED PACKAGING

1

### PACKAGING GROSS WEIGHT

0.155

### UNITARY PACKAGING VOLUME

597780

### PACKAGING HEIGHT

81

### PACKAGING NET WEIGHT

0.155

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING WIDTH

82

### PACKAGING WEIGHT UNIT

KGM

### UNITARY PACKAGING GROSS WEIGHT

0.155

### PACKAGING LENGTH

90