

Set of 2 push-buttons switches for mechanical blinds 10 A 250V~ with electrical interlocking Simon 100

REF. 10000331-039

BASIC INFORMATION

DESCRIPTION

The Simon 100 double push-button group for blind control provides a safe and reliable solution for up and down movement. It features a safety interlock system that prevents simultaneous activation, ensuring precise and protected operation. Manufactured with metal components insulated with halogen-free thermoplastic, it guarantees excellent electrical resistance and durability. It supports a cable cross-section from 1.5 to 2.5 mm² and is compatible with 250 V~ supply voltage and a 10 A current rating. Part of the Simon 100 collection, it stands out for its modern design, high-quality materials, and installation safety, ideal for residential, office, and professional spaces.

COMPATIBILITY

Frames and supports Simon 270

ETIM CLASS

EC000044

REMARKS

Mechanism fitted with security latching to prevent simultaneous operation.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

CURRENT (A)

10 A

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

7

TYPE OF TERMINAL
CONNECTION - FUNCTION 1

1 click connection (1 click®)

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD | Directive 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053431054

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053420324

PACKAGING VOLUME

2509312

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

5

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

105

PACKAGING GROSS WEIGHT

0.345

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

210

PACKAGING NET WEIGHT

0.2

UNITARY PACKAGING GROSS
WEIGHT

0.045

PACKAGING LENGTH

115

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.04

