


Front face kit for 1 element with 1 gloss white dimmer button Simon 100

REF. 10020113-130



BASIC INFORMATION

FINISH

Gloss white

COMPATIBILITY

Kit mechanisms Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

Yes

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MONOBLOCK

Yes

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VOLTAGE (V~)

127/230 V~

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053201428

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053201428

PACKAGING VOLUME

70560

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

13

PACKAGING GROSS WEIGHT

0.05

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

115

PACKAGING NET WEIGHT

0.046

UNITARY PACKAGING GROSS
WEIGHT

0.046

PACKAGING LENGTH

185

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.046