

## 2-way switch 10A 250V~ half element with fast terminal connection system

REF. 75211-69



### BASIC INFORMATION

#### DESCRIPTION

2-way switch 10 AX current and a voltage of 250 V. Forma part of the series Simon 82 Centralisations. It is the individual version of the product, with half element. This control mechanism is committed to the system quick terminal connection and its operation is tilting. As, it should be noted that it is possible to implement the signaling function by means of bracket neon lamp and rocker with viewer. This 2-way switch, specifically, does not include a signaling function, its installation is very versatile, as it is possible to place it both in surface-mounted and flush-mounted. To extend the service life of the control mechanisms Simon, such as this 2-way switch tilting, simply clean the product with a very soft and completely dry cloth. It is important not to use abrasive cleaning agents with the product. Simon stands out for the quality of the materials of manufacture, as well as for the design of each of its products.

#### FINISH

Wood

#### PACKAGING CONTENTS

Mechanism and instructions

#### COMPATIBILITY

Frames Simon 82 Centralisations

#### ETIM CLASS

EC001590

#### REMARKS

Possibility of implementing signalling function using a neon lamp support and rocker with viewer.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### CURRENT (A)

10 A

### TYPE OF MECHANISM

Pivoting

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### VERSION

Single

### INDICATOR FUNCTION

No

### VOLTAGE (V~)

250 V~

## INSTALLATION AND MAINTENANCE

### CLAW

Simon 27

### INSTALLATION DIRECTION

Horizontal, Vertical

### TYPE OF TERMINAL

#### CONNECTION - FUNCTION 1

Fast

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### INSTALLATION TYPE

Suitable for surface and flush mounting

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053255889

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

864864

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.021

### PRODUCT NET WEIGHT

0.021

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053060834

### UNITS CONTAINED PACKAGING

10

### PACKAGING HEIGHT

54

### PACKAGING WIDTH

104

### PACKAGING LENGTH

154

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

864864

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0.205


### PACKAGING NET WEIGHT

0.21


### PACKAGING WEIGHT UNIT

KGM

## VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO



## DIAGRAMA DE MONTAJE



\*Placa y chasis NO incluidos

## DIAGRAMA DE CONEXIÓN

