

## Cross-shaped connector adjustable 3-phase rail Black

REF. 99941238-039



### BASIC INFORMATION

#### APPLICATION

Domestic,Office,Retail,Contract

#### PACKAGING CONTENTS

1 Unit

### TECHNICAL INFORMATION

#### OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

#### CONTROL

1-10 V

#### DRIVER INCLUDED

No

#### RAL

9005

#### DIRECTIONAL

No

#### ENERGY EFFICIENCY

A+

## INSTALLATION AND MAINTENANCE

### INSTALLATION ALTERNATIVES

Flush-mounted

### INSTALLATION TYPE

Surface-mounted / Flush-mounted

## REGULATIONS

### EAC MARKED

No

### ECORRAE MARKED

No

### WARRANTY

3 years

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT  
0

UNITARY PACKAGING WIDTH  
0

UNITARY PACKAGING LENGTH  
0

UNITARY PACKAGING VOLUME  
0

UNITARY PACKAGING GROSS  
WEIGHT  
0

PRODUCT NET WEIGHT  
0

UNITARY PACKAGING WEIGHT  
UNIT  
KGM

PACKAGING EAN  
8436547037636

UNITS CONTAINED PACKAGING  
1

PACKAGING HEIGHT  
0

PACKAGING WIDTH  
0

PACKAGING LENGTH  
0

PACKAGING MEASUREMENT  
UNIT  
MMT

PACKAGING VOLUME  
0

PACKAGING VOLUME UNIT  
MMQ

PACKAGING GROSS WEIGHT  
0

PACKAGING NET WEIGHT  
0

PACKAGING WEIGHT UNIT  
KGM