

Simon Slim System modular luminaire 2700 K Symmetrical op 1.5 m DALI White

REF. 91772305-200



BASIC INFORMATION

FINISH

White

APPLICATION

Domestic, Office, Retail, Hotel, Contract

PACKAGING DIMENSIONS (MM)

1465x85x85 mm

BODY MATERIAL

Aluminium

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001743

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

CONTROL

DALI

LIGHTING EFFICIENCY (LM/W)

Up to 82 lm/W

IP RATING

IP20

DIRECTIONAL

Yes

LUMENS (LM)

4050 lm

OPERATING TEMPERATURE RANGE (°C)

0 to 35°C

DRIVER INCLUDED

No

NUMBER OF LUMINAIRES

1

POWER SUPPLY (V~)

48 Vdc

ELECTRICAL CLASS

Type 3

MACADAM STEPS

<3 Step MacAdam

RAL

9016

ENERGY EFFICIENCY

A+

OPTICS

Symmetric

COLOR TEMPERATURE (K)

2700K

COLOR TYPE

WW

POWER (W)

56 W

CHROMATICS CRI ICONS

CRI
90

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended

REGULATIONS

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547077625

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.736

PRODUCT NET WEIGHT

0.736

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8436547077625

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

80

PACKAGING WIDTH

83

PACKAGING LENGTH

1465

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

9727600

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

1.186

PACKAGING NET WEIGHT

0.736

PACKAGING WEIGHT UNIT

KGM