


**Mechanism-holder unit IP66 with manual lock and Italian
socket P40 socket outlet with 1 RJ45 category 6 UTP brass
Simon K45**

REF. KSE36U/23/71



BASIC INFORMATION

DESCRIPTION

The mechanism-holder unit unit (130 x 130 x 55 mm) with manual closure and Italian P40 socket outlet with an RJ45 connector category 6 UTP of the series Simon K45 brass has been designed with on self-extinguishing thermoplastic baseboard and halogen-free, a material that guarantees no flame propagation in case of fire and the low toxicity in case of smoke has a current of 16 A, a voltage of 250 V ~, wire stripping of 12 mm and supports a wire cross section of 1.5 to 2.5 mm The cover has anchor points that protect the connections during use against pressures and stresses due to the passage of personnel with socket for standard current circuit. Moreover, its design allows incorporation in any type of floor, be it a raised or concrete floor floor, and by combining the mechanism-holders unit with the tray in accordance with the type of installation (reference KGE170 for concrete floor, and reference KGE170TF for raised floor).

FINISH

Brass

MATERIAL

Metal

ETIM CLASS

EC000024

REMARKS

The cover has anchor points that protect the connections during use against pressures and stresses due to the passage of personnel.

TECHNICAL INFORMATION

NUMBER OF CONNECTORS

1

CURRENT (A)

16 A

RECESS DIMENSION (MM)

145 x 145 mm en suelo técnico

DUST SHUTTER

No

IP RATING

IP66

VOLTAGE (V~)

250 V~

IK CLASSIFICATION

07

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

REMOVAL OF COMPONENTS

Only with tool

NUMBER OF COVER OPENING POSITIONS

1

REMOVAL OF COVER

Only with tool

EXTINGUISHING (°C)

+650 °C (according to standard IEC 60670)

REMOVAL OF THE FRAME

Only with tool

CAN BE INSTALLED IN TRAY

Plastic

REMOVAL OF THE SOCKET

Only with tool

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053333907

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.448

PRODUCT NET WEIGHT

0.372

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053333907

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

82

PACKAGING WIDTH

147

PACKAGING LENGTH

155

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1445213

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.448

PACKAGING NET WEIGHT

0.372

PACKAGING WEIGHT UNIT

KGM