

Kit Ofiblock Compact with 3 schuko sockets and 2 RJ45 C.6 mounted and wired

REF. KFC2446U/14



BASIC INFORMATION

DESCRIPTION

K45 Ofiblock Compact pack with 3 Schuko sockets and two windows with RJ45 cat. 6UTP connectors, all internally mounted and wired. Includes side cover with direct input for one 2m power cable with Schuko plug and two 2m voice and data patch cords. black-colored finish that, when combined with the various available accessories in the range, can adapt to any architectural environment. The profile is extruded from high-quality aluminum, and the covers and components are made of halogen-free, self-extinguishing thermoplastic material to protect the installation in case of fire, and are also flame retardant.

FINISH

Black

MATERIAL

Aluminium

COMPATIBILITY

Functions of the Simon K45 range and combinable with the Simon Electrical Wiring range.

ETIM CLASS

EC002759

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

IP RATING

IP4X

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

7021

INSTALLATION AND MAINTENANCE

EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

INSTALLATION DIRECTION

Horizontal, Vertical

SECURING POSSIBILITIES

Its design allows it to be surface-mounted on the wall, on table-top furniture, under a desk, on a raised floor, a metal surface with magnet, or on a DIN rail using specific fastening accessories.

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053305737

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053305737

PACKAGING VOLUME

5196800

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

80

PACKAGING GROSS WEIGHT

0.884

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

224

PACKAGING NET WEIGHT

0.76

UNITARY PACKAGING GROSS
WEIGHT

0.76

PACKAGING LENGTH

290

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.76