

## British socket outlet 13A with screw terminal connection without switch graphite K45

REF. K04/14



### BASIC INFORMATION

#### FINISH

Graphite

#### MATERIAL

Plastic

#### COMPATIBILITY

Simon K45 enclosures for installation on wall, floor, ceiling, and furniture, and Simon 500 Cima enclosures (requires combination with K45 to 500 Cima adapter ref. 50012088-030).

#### ETIM CLASS

EC000125

## TECHNICAL INFORMATION

### FORMAT

British

### IP RATING

IP20

### RAL

7021

### CURRENT (A)

13 A

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

12

### EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

### REMOVAL OF THE SOCKET

Only with tool

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT  
0

PRODUCT NET WEIGHT  
0.039

PACKAGING MEASUREMENT  
UNIT  
MMT

UNITARY PACKAGING WIDTH  
0

UNITARY PACKAGING WEIGHT  
UNIT  
KGM

PACKAGING VOLUME  
3687005

UNITARY PACKAGING LENGTH  
0

PACKAGING EAN  
8426436043817

PACKAGING VOLUME UNIT  
MMQ

UNITARY PACKAGING VOLUME  
0.3

UNITS CONTAINED PACKAGING  
10

PACKAGING GROSS WEIGHT  
0.492

UNITARY PACKAGING VOLUME  
UNIT  
MMQ

PACKAGING HEIGHT  
49

PACKAGING NET WEIGHT  
0.39

UNITARY PACKAGING GROSS  
WEIGHT  
0.049

PACKAGING WIDTH  
101

PACKAGING WEIGHT UNIT  
KGM

PACKAGING LENGTH  
245

