


Plate for buzzer grey Simon 75

REF. 75052-35



BASIC INFORMATION

DESCRIPTION

Plate for grey buzzer of the Simon 75 series, has 6 different finishes; for a better design, it is recommended to acquire a frame of the same colour as the selected plate. It can be installed in 2 different ways, surface mounting or flush mounting. The most common temperature ranges of the plate for buzzer is 5 to 40° with a limit ranging from -25 to 50°. This type of plate applies the current regulation. The main manufacturing material is thermoplastic with a plastic grey finish. The plate for buzzer does not have any module but an element. This model does not contain any engraving or signaling function. It is advisable, for the correct maintenance of the plate, to use a cloth dampened in soapy water.

FINISH

Grey

MATERIAL

Thermostable

PACKAGING CONTENTS

Cover

SYMBOL

Without engravings

COMPATIBILITY

Simon 75 and Simon 75 mechanisms

ETIM CLASS

EC002484

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 55020:2007 + EN 55020:2007 A11:2011 + EN 55032:2012 + EN 60065:2002 + EN 60065:2002 A1:2006 + EN 60065:2002 A11:2008 + EN 60065:2002 A2:2010 + EN 60065:2002 A12:2011 + EN 61000-3-2:2006 + EN 61000-3-2:2006 A1:2009 + EN 61000-3-2:2006 A2:2009 + EN 61000-3-3:2013

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
597780

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.023

PRODUCT NET WEIGHT
0.023

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053003084

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
81

PACKAGING WIDTH
82

PACKAGING LENGTH
90

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
1486004

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.115

PACKAGING NET WEIGHT
0.115

PACKAGING WEIGHT UNIT
KGM