

Monoblock push button with bell symbol 10A 250V~ and screw terminal connection system white Simon 73 Loft

REF. 73150-50



BASIC INFORMATION

DESCRIPTION

Designed for installation in surface-mounted or trunking with the minimum thickness, the monoblock push-button switch with a subtle bell engraved of the collection Simon 73 Loft, it provides to the space, the maximum functionality in a compact design of sober lines and minimalist style. Finished in white, includes rocker operation and is compatible with power supplies of 250 Volt and 10 Ampere current and with amplitude modular (10: 00 AM). Made of metal materials with thermoplastic insulation, halogen-free and thermoplastic trim, it protects the room in case of fire, being able to reach maximum temperatures ranging from -25 and 50 °C. Designed for installation with screw terminal connection, together with the versatility of being able to adapt to surface-mounted and to trunking, and its size of 75 x 75 mm, make its design of sober lines mínimo the visual impact providing a sense of having a smaller.

FINISH

White

PACKAGING CONTENTS

Mechanism with rocker and frame

ETIM CLASS

EC000029

MATERIAL

Thermoplastic

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

TYPE OF MECHANISM

Pivoting

VERSION

Single

INDICATOR FUNCTION

No

VOLTAGE (V~)

250 V~

CURRENT (A)

10 A

MONOBLOCK

Yes

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

INSTALLATION TYPE

Suitable for surface mounting

REGULATIONS

REGULATIONS

No aplica

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053061886

PACKAGING VOLUME
3111900

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
82

PACKAGING GROSS WEIGHT
0.78

UNITARY PACKAGING GROSS
WEIGHT
0.078

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
0.78

PRODUCT NET WEIGHT
0.078

PACKAGING LENGTH
230

PACKAGING WEIGHT UNIT
KGM

MECANISMOS SIMON 73

Mecanismos básicos / Basic switches



Interrupor unipolar / Single-pole switch
73101-39



Pulsador / Push button switch
73150-39



Interrupor bipolar / Double pole switch
73131-39



Conmutador cruce / Intermediate switch
73251-39



Conmutador / 2-way switch
73201-39

Mecanismos con luminoso / Switches with light



Pulsador / Push button switch
73160-39