

# Metal cover for metal surface mount or flush mount wall frame for 8 elements stainless steel Simon K45

REF. KMA401/8



## BASIC INFORMATION

### FINISH

Stainless steel

### COMPATIBILITY

Simon K45 functions

### ETIM CLASS

EC000007

### MATERIAL

Stainless steel

### PACKAGING CONTENTS

Metal cover with lock cylinder and key, screws and installation manual

### REMARKS

It restricts access to connections, to prevent unwanted tampering, guaranteeing the outlet of cabling to the connected devices.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

### HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

### IK CLASSIFICATION

10

### IP RATING

IP4X

### KIT AVAILABILITY

No

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

### NUMBER OF MODULES

4 double modules

### VERSION

8 elements

## INSTALLATION AND MAINTENANCE

### EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

### TYPE OF FASTENING

Using supplied screws

### INSTALLATION TYPE

Suitable for installation on the flush-mounted metal wall box or on the surface-mounted metal wall box

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

## LOGISTICS INFORMATION

UNITARY EAN CODE

8421053095003

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053095003

PACKAGING VOLUME

2.686

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

55

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

165

PACKAGING NET WEIGHT

0.58

UNITARY PACKAGING GROSS  
WEIGHT

0.58

PACKAGING LENGTH

296

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.58