

Modular Luminaire Simon 730 120x10 3000 K Medium DALI Emergency Kit

REF. 73062740-683



BASIC INFORMATION

DESCRIPTION

This innovative luminaire offered by Simon has a high efficiency and light quality. It has IP 44 protection and a service life defined by L70 100,000 h at 25 degrees centigrade.

Thanks to its design, it is easily installable and with its warm light allows to create comfortable and functional work spaces. Its efficiency can be up to 99 lm/W, which is very outstanding. It is equipped with an emergency kit, thanks to which the luminaire does not stop sending light for 1 hour and a half in case of electrical fault of the installation.

Innovation and functionality is the brand of this 730 luminaire from Simon, ideal for all types of spaces, thanks to its DALI control offers great versatility of lighting.

APPLICATION

General lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC002892

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

3300 lm/ 34,5W

IP RATING

IP44

L70 (°C)

100.000 h at 25°C

OPTICS

Medium

OPERATING TEMPERATURE RANGE (°C)

0 to 40° C

L90 (°C)

50.000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempted category

POWER SUPPLY (V~)

100/277 V~

LIGHT BEAM APERTURE ANGLE (°)

90°

POWER (W)

34,5 W

COLOR TEMPERATURE (K)

3000K

COLOR TYPE

WW

SERVICE LIFE

50.000 h

CONTROL

DALI

LIGHTING EFFICIENCY (LM/W)

96 lm/W

DIRECTIONAL

No

LUMENS (LM)

3300 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Surface-mounted | Concealed ceiling | Semi-concealed ceiling | Flush-mounted

INSTALLATION TYPE

False ceiling, visible hardware

REGULATIONS

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053204566

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0

PRODUCT NET WEIGHT

0.28

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053204566

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

87

PACKAGING WIDTH

110

PACKAGING LENGTH

1215

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

11627550

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.31

PACKAGING NET WEIGHT

0.28

PACKAGING WEIGHT UNIT

KGM