
Shaver socket outlet 3 modules graphite Simon 82

REF. **8200482-038**



BASIC INFORMATION

FINISH
Graphite

COMPATIBILITY
Simon 82 mechanisms

ETIM CLASS
EC000125

MATERIAL
Plastic

PACKAGING CONTENTS
Mechanism

REMARKS
It is recommended to choose a frame of the same colour as the selected mechanism.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
2,5 mm

NUMBER OF POSSIBLE ELEMENTS
1 element

CURRENT (A)
16 A

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM
Insertion

NOMINAL VOLTAGE (V~)
115/230 V~

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

POWER SUPPLY (V~)
115/230 V~

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053198988

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.47

PRODUCT NET WEIGHT
0.47

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053198988

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
75

PACKAGING WIDTH
88

PACKAGING LENGTH
158

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1042800

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.47

PACKAGING NET WEIGHT
0.47

PACKAGING WEIGHT UNIT
KGM