

## Downlight 725.23 surface-mounted fitting

REF. 72533030-039



### BASIC INFORMATION

#### DESCRIPTION

For the installation of the luminaires Downlight 725, Simon has, on request, an accessory for surface mounting. It is an element affected by electrostatic currents, so it fitted carefully and according to the requirements and rules for electrical installations. It is recommended not to use abrasive products or chemical for cleaning, use a soft, dry cloth. Indoor lighting. Accessory Surface-mounted Downlight 725.23. You have the elements necessary for its placement. Is provided in individual boxes.

#### ETIM CLASS

EC002557

## TECHNICAL INFORMATION

### IP RATING

IP20

## INSTALLATION AND MAINTENANCE

### INSTALLATION TYPE

Surface

## LOGISTICS INFORMATION

UNITARY EAN CODE 8421053122419	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	PACKAGING EAN 8421053122419	PACKAGING VOLUME 4.327
UNITARY PACKAGING WIDTH 0	UNITS CONTAINED PACKAGING 1	PACKAGING VOLUME UNIT DMQ
UNITARY PACKAGING LENGTH 0	PACKAGING HEIGHT 65	PACKAGING GROSS WEIGHT 0.422
UNITARY PACKAGING VOLUME 0	PACKAGING WIDTH 258	PACKAGING NET WEIGHT 0.422
UNITARY PACKAGING GROSS WEIGHT 0.422	PACKAGING LENGTH 258	PACKAGING WEIGHT UNIT KGM
PRODUCT NET WEIGHT 0.422		