Flat voice and data plate without dust cover for 1 and 2 RJ45 Siemon® for 1 element white Simon 500 Cima

REF. **50021186-030**

BASIC INFORMATION

DESCRIPTION

Voice and data flat plate of the Simon 500 Cima. It is a single element and is available for both one as for two RJ45 connectors, Siemon. Its white finish, which gives it enormously versatility. These voice and data plates Simon guarantees easy installation, as it does not require screws. If you want to fit the plate to Simon 500 Cima enclosures, both vertical and horizontal, it is not necessary to use adapters, as it includes the clips needed to do so easy. It is of individual version, with a module and measuring 50 x 50 mm and has 11 mm of depth. It is manufactured with thermoplastic materials that guarantee a halogen-free end is the high temperatures that support these voice and data plates. It does not include any type of halogen component, to ensure maximum security during its use. The maintenance of the voice and data plates Simon 500 Cima is very simple. For cleaning you just need to use a dry and soft rags.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
Siemon® CT series.

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
No

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Flat

RAL
9003

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
Siemon® RJ45 connectors

SNAP-FIT TYPE
Siemon® RJ45 connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.023

PRODUCT NET WEIGHT
0.023

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053097236

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
54

PACKAGING WIDTH
52

PACKAGING LENGTH
215

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.604

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.23

PACKAGING WEIGHT UNIT
KGM


50
50
5
11