

**Set of 2 push buttons 10A 250V~ (2 inputs+2 outputs)
mech.blinds without latching sys. with fast terminal
connection white Simon 31**

REF. 31396-30



BASIC INFORMATION

DESCRIPTION

It is a group of 2 push buttons 10A 250V~ (2 inputs + 2 outputs) for roller shutter mechanism with quick terminal connection and finished in white. The product is included in the serie Simon 31, a collection that has a great creditworthiness and adapts perfectly to any type of project. This set of push buttons does not require latching and requires a control device. It has been manufactured in compliance with the regulations. It is made of metal components with halogen-free thermoplastic insulation and trim made of thermoset material. The push buttons has dimensions of 64x65 mm and is characterized by a high thermal resistance. Its maintenance is very simple and it is sufficient to use a soft cloth and moistened in soapy water and to give light passages. Also, it is recommended to avoid the use of abrasive cleaners containing chlorine.

FINISH

White

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000029

MATERIAL

Thermoplastic

PACKAGING CONTENTS

Mechanism with rocker

REMARKS

Mechanism with no latching. Requires control device.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 AX

TYPE OF MECHANISM

Pivoting

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP21

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

LATCH TYPE

Non-latching

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Double

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLATION TYPE

Suitable for surface and flush
mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.09

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

3026595

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053052068

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

3026595

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.9

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

83

PACKAGING NET WEIGHT

0.9

UNITARY PACKAGING GROSS
WEIGHT

0.09

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

221