

## Double rocker with viewer pistachio green Simon 44 Aqua

REF. 4400026-065



## BASIC INFORMATION

### DESCRIPTION

Are you looking for a mechanism suitable for installation outdoors resistant to the water and dust? A switch for a car park with indicator light? If your response is OK, the range Simon 44 Aqua is the solution. Simon 44 is created to luchar against the most adverse conditions of the spaces outdoor or indoor. Protects your mechanisms from water, dust or grease without renouncing the appearance and style. The double rocker with viewer Simon 44 Aqua pistachio green provides maximum protection with an original pistachio green finish that will give it a modern touch to any room. It is the double version for one element and is also available in two unique finishes. Manufactured in thermoplastic material. Its viewer, indicator light, increasing the functionality of this product, making its location in the dark. Multiplies the functionalities of the line, Simon 44 combined with the mechanisms of the Simon 27 series.

### FINISH

Pistachio

### MATERIAL

Plastic

### PACKAGING CONTENTS

Double rocker

### SYMBOL

Without engravings

### COMPATIBILITY

Simon 44 Aqua frames with rocker

### ETIM CLASS

EC000011

### REMARKS

Available in 3 finishes. This article includes only the trim rocker. It is necessary to replace it with the referenced rockers with frame and rocker included.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP55

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

Yes

### VERSION

Double

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018\*1 | IEC 60884-1 Ed. 3.2\*2 | UNE 20315-1-1:2017\*2 | UNE 20315-1-2:2017\*2 | EN IEC 60670-1:2021 + A11:2021\*3 | EN IEC 63000:2018

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053254288

### UNITARY PACKAGING GROSS WEIGHT

0.017

### PACKAGING LENGTH

76

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.017

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

0.329

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8421053070680

### PACKAGING VOLUME UNIT

DMQ

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITS CONTAINED PACKAGING

5

### PACKAGING GROSS WEIGHT

0.085

### UNITARY PACKAGING VOLUME

329232

### PACKAGING HEIGHT

57

### PACKAGING NET WEIGHT

0.085

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING WIDTH

76

### PACKAGING WEIGHT UNIT

KGM