

Back kit for 1 Schuko socket outlet and built-in USB charger with smartcharge Simon 100

REF. 10010109-039



BASIC INFORMATION

FINISH

Black

COMPATIBILITY

Front Kit Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

TYPE OF MECHANISM

Insertion

USB CHARACTERISTICS

10W

FORMAT

Schuko,USB

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

USB CURRENT (A)

2,1 A

INDICATOR FUNCTION

No

POWER SUPPLY (V~)

250 V~

USB VOLTAGE (V~)

5 Vdc

CURRENT (A)

16 A

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CLAW

INSTALLATION DIRECTION

Vertical and horizontal

KIT INSTALLATION DIRECTION

Vertical and horizontal

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2011 IEC 60884-1 Ed. 3.2 ETSI-EN 301489-34 V1.4.1 EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053091135

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.158

PRODUCT NET WEIGHT

0.158

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053091135

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

76

PACKAGING WIDTH

90

PACKAGING LENGTH

88

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

601920

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.158

PACKAGING WEIGHT UNIT

KGM