Cover for German double socket outlet mechanism with viewer and LED indicator green Simon 500 Cima

REF. **50011041-065**



BASIC INFORMATION

DESCRIPTION

In an original green colour, the cover with viewer and indicator led 50011041-065 is part of the Simon 500 Cima series. It measures 100 x 50 x 9 mm and, for its use, it requires combination with a double Schuko socket outlet. Also, thanks to its manufacture in halogen-free thermoplastic materials, our piece guarantees that no flame spread in case of fire, and low toxicity very if had any smoke. For this reason, we can assert that the collection Simon 500 Cima solutions has the safest to meet our customers the most demanding, thanks to the use of components of the highest quality and security on the market, as well as forget of the concerns and confident in Simon to make your home the place safer.

FINISH

Green

MATERIAL

Various

COMPATIBILITY

German double socket outlets Simon 500 Cima

PACKAGING CONTENTS

Cover for German double socket outlet mechanism with viewer and LED light indicator and installation manual

ETIM CLASS

EC000011

REMARKS

Must be combined with a German double socket outlet

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
Plate with viewer and LED light indicator, plate without viewer and as a replacement for plate with viewer

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C in surface-mount wall installation and +90 °C in flush-mount wall installation

FORMAT
Schuko

INDICATOR FUNCTION
Yes

IP RATING
IP20

KIT AVAILABILITY
No

LED CONSUMPTION INDICATOR (MA)
0.55

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
2

RAL
6016

VERSION
2 elements

INSTALLATION AND MAINTENANCE

REMOVAL OF COVER
Only with tool

TYPE OF FASTENING
By direct snap-fit on the double socket outlet (no tools needed for fastening))

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Suitable for surface or flush-mount installation

REGULATIONS

REGULATIONS
Dir. 2011/65/UE RoHS + post. mod.|EN IEC 63000:2018|IEC 60884-1 Ed. 3.2|UNE 20315-1-1:2017|UNE 20315-1-2:2017|DS 60884-2-D1:2023

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.029

PRODUCT NET WEIGHT
0.029

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053093559

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
52

PACKAGING WIDTH
105

PACKAGING LENGTH
220

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1.201

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.29

PACKAGING WEIGHT UNIT
KGM


100
50
6
100