HDMI connector type A female with trim plate black Simon K45

REF. **K129B/14**



BASIC INFORMATION

DESCRIPTION

The working environments or public spaces increasingly need to have the latest in applications to be able to work quickly and accurately. And also need that are the best and most high quality. That ' s why Simon offers us this connector, half element, for HDMI connections. Composed of a module, this connector includes the trim plate with a grey finish in black colour. Its terminal connection is female-female and is available for both surface-mounted and flush mounting. This connector is one of the many mechanisms in the K45 series of Simon. As a HDMI connection, the home Simon, we recommend using a cabling maximum of 5 meters for category 1 patch cords, i.e. transmissions videos up to 720 or 1080i; and up to 12 metres for category 2, for videos with quality 1080i or higher. Simon offers us once again, the best solutions for installations on the market.

FINISH

Black

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Female type-A HDMI connector and instruction sheet

ETIM CLASS

EC000018

REMARKS

Maximum wire length recommended; 5 metres for category 1 patch cords (video streaming up to 720p or 1080i) and 12 metres for category 2 patch cords (video streaming at 1080p or higher). For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

REVISION

+34 2.0

CONNECTOR TYPE

HDMI

NUMBER OF POSSIBLE ELEMENTS

1/2 element

FORMAT

HDMI

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

RAL

7021

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436064829

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.025

PRODUCT NET WEIGHT
0.025

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436064829

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
50

PACKAGING WIDTH
42

PACKAGING LENGTH
50

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.105

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.026

PACKAGING NET WEIGHT
0.025

PACKAGING WEIGHT UNIT
KGM